


Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

1. (currently amended) A composition ~~Compositions~~, comprising one or more compounds of the formula (I)



in which

X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy or cyano,

W, Y and Z independently of one another represent hydrogen, halogen, alkyl, alkoxy, haloalkyl, haloalkoxy or cyano,

A represents hydrogen, in each case optionally halogen-substituted alkyl[[,]] or alkoxyalkyl, or saturated, optionally substituted cycloalkyl in which optionally at least one ring atom is replaced by a heteroatom,


B represents hydrogen or alkyl, or

A and B together with the carbon atom to which they are attached ~~represent~~ form a saturated or unsaturated, unsubstituted or substituted cycle which optionally contains at least one heteroatom,

D represents hydrogen or an optionally substituted radical selected from the group consisting of alkyl, alkenyl, alkoxyalkyl, and saturated cycloalkyl in which optionally one or more ring members are replaced by one or more heteroatoms, or

A and D together with the atoms[[,]] to which they are attached, ~~represent~~ form a saturated or unsaturated cycle which optionally contains at least one heteroatom in the A,D moiety and which is unsubstituted or substituted in the A,D moiety,

G represents hydrogen (a) or ~~represents~~ one of the groups



in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur,

M represents oxygen or sulphur,

R¹ represents in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, or polyalkoxyalkyl, [[or]]

optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl ~~which may be interrupted~~ wherein optionally at least one ring atom is replaced by ~~at least one~~ a heteroatom, or in each case optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl,


R² represents in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, or polyalkoxyalkyl, ~~or represents~~ in each case optionally substituted cycloalkyl, phenyl or benzyl,

R³ represents optionally halogen-substituted alkyl or optionally substituted phenyl,

R⁴ and R⁵ independently of one another represent in each case optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, or cycloalkylthio, ~~or represent~~ in each case optionally substituted phenyl, benzyl, phenoxy or phenylthio and

R⁶ and R⁷ independently of one another represent hydrogen, in each case optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, or alkoxyalkyl, ~~represent~~ optionally substituted phenyl, ~~represent~~ optionally substituted benzyl, or R⁶ and R⁷ together with the N atom to which they are attached represent form an optionally substituted ring ~~which is~~ wherein one or more carbon atoms are optionally interrupted replaced by oxygen or sulphur,


and at least one ~~phthalic diamide~~ compound of the formula (II)



in which

K represents halogen, cyano, alkyl, haloalkyl, alkoxy or haloalkoxy,

Re¹, Re², and Re³ each independently of one another represent hydrogen, cyano, ~~represent~~ optionally halogen-substituted C₃-C₈-cycloalkyl, or ~~represent~~ a group of the formula



in which

M¹ represents in each case optionally substituted alkylene, alkenylene or alkynylene,

Q represents hydrogen, halogen, cyano, nitro, haloalkyl, in each case optionally substituted C₃-C₈-cycloalkyl, alkylcarbonyl or alkoxy carbonyl, in each case optionally substituted phenyl[[,]] or heteroaryl, ~~hetaryl~~ or represents a group



in which

T represents $-O-$, $-S(O)_m-$ or $\begin{array}{c} \text{---N---} \\ | \\ Re^5 \end{array}$,

Re^4 represents hydrogen, in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, alkoxyalkyl, alkylcarbonyl, alkoxycarbonyl, phenyl, phenylalkyl, phenylalkoxy, ~~hetaryl~~ heteroaryl, or heteroarylalkyl ~~hetarylalkyl~~,

Re^5 represents hydrogen, ~~represents~~ in each case optionally substituted alkylcarbonyl, alkoxycarbonyl, phenylcarbonyl or phenylalkoxycarbonyl,


k represents the numbers 1 to 4,

m represents the numbers 0 to 2, or

Re^1 and Re^2 together form an optionally substituted four- to seven-membered ring ~~which may~~ wherein one or more carbon atoms are optionally be ~~interrupted~~ replaced by a heteroatom ~~heteroatoms~~,

L^1 and L^3 independently of one another represent hydrogen, halogen, cyano or in each case optionally substituted alkyl, alkoxy, $Alk-S(O)_m-$, phenyl, phenoxy or heteroaryloxy ~~hetaryloxy~~,

L^2 represents hydrogen, halogen, cyano, in each case optionally substituted alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, phenyl, or heteroaryl, ~~hetaryl~~ or represents the group



in which

M^2 represents $-O-$ or $-S(O)_m-$

and

Re^6 represents in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, phenyl or ~~hetaryl~~ heteroaryl, or

~~L^1 and L^3 or~~


L^1 and L^3 or L^2 and L^3 ~~L^1 and L^2~~ together form an optionally substituted five- or six-membered ring ~~which may~~ wherein one or more carbon atoms are optionally ~~be interrupted~~ replaced by a heteroatom ~~heteroatoms~~.

2. (currently amended) ~~Compositions~~ The composition according to Claim 1, comprising one or more compounds of the formula (II)

in which

K represents fluorine, chlorine, bromine, iodine, cyano, C_1 - C_6 -alkyl, C_1 - C_6 -haloalkyl, C_1 - C_6 -alkoxy or C_1 - C_6 -haloalkoxy,

Re¹, Re² and Re³ each independently of one another represent hydrogen, cyano, ~~represent~~ optionally halogen-substituted C₃-C₆-cycloalkyl, or ~~represent~~ a group of the formula



in which

M¹ represents C₁-C₈-alkylene, C₃-C₆-alkenylene or C₃-C₆-alkynylene,

Q represents hydrogen, halogen, cyano, nitro, haloalkyl, ~~or represents~~ optionally fluorine-, chlorine-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one or two not directly adjacent ring members are replaced by oxygen, ~~and/or~~ sulphur, or combinations thereof, ~~[[or]] represents~~ in each case optionally halogen-substituted C₁-C₆-alkylcarbonyl or C₁-C₆-alkoxycarbonyl, ~~[[or]] represents~~ in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-haloalkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkoxy-, cyano- or nitro-substituted phenyl or ~~hetaryl~~ heteroaryl having 5 or 6 ring atoms, or ~~represents~~ a group



in which

T represents -O-, -S(O)_m- or $\begin{array}{c} \text{---N---} \\ | \\ \text{Re}^5 \end{array}$,

Re⁴ represents hydrogen, or represents in each case optionally
~~fluorine and/or chlorine substituted~~ C₁-C₈-alkyl, C₃-C₈-
alkenyl, C₃-C₈-alkynyl, C₃-C₈-cycloalkyl, C₃-C₈-
cycloalkyl-C₁-C₂-alkyl, C₁-C₆-alkylcarbonyl, or C₁-C₆-
alkoxycarbonyl, each of which is optionally substituted
with fluorine, chlorine, or combinations thereof, represents
phenyl, C₁-C₄-phenylalkyl, C₁-C₄-phenylalkyloxy, ~~hetaryl~~
heteroaryl or ~~hetarylalkyl~~ heteroarylalkyl, each of which is
optionally ~~mono- to tetrasubstituted by~~ substituted by one
to four substituents selected from the group consisting of
halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl,
C₁-C₄-haloalkoxy, nitro ~~[[or]]~~ and cyano, or heteroaryl
~~hetaryl~~ having 5 or 6 ring atoms,

Re⁵ represents hydrogen, or represents in each case optionally
~~fluorine and/or chlorine substituted~~ C₁-C₆-
alkylcarbonyl~~[[,]]~~ or C₁-C₆-alkoxycarbonyl, each of which
is optionally substituted with fluorine, chlorine, or
combinations thereof, or represents phenylcarbonyl or
phenyl-C₁-C₄-alkyloxycarbonyl, each of which is

optionally ~~mono- to tetrasubstituted by~~ substituted with one to four substituents selected from the group consisting of halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, nitro ~~[[or]]~~ and cyano,

k represents the numbers 1 to 3,

m represents the numbers 0 to 2,


Re¹ and Re² form a five- or six-membered ring which ~~may optionally be interrupted by~~ contains an oxygen or sulphur atom,

L¹ and L³ independently of one another represent hydrogen, cyano, fluorine, chlorine, bromine, iodine, C₁-C₆-alkyl, C₁-C₄-haloalkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkyl-S(O)_m⁻, or C₁-C₄-haloalkyl-S(O)_m⁻, or ~~represent~~ phenyl, phenoxy, pyridinyloxy, thiazolyloxy or pyrimidyloxy, each of which is optionally ~~mono- to trisubstituted by~~ substituted with one, two or three substituents selected from the group consisting of fluorine, chlorine, bromine, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, cyano ~~[[or]]~~ and nitro,

L² represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, ~~represents in each case optionally fluorine and/or chlorine-substituted~~ C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, or C₂-C₆-alkynyl, each of which is optionally substituted with fluorine, chlorine, or combinations thereof, ~~represents in~~

~~each—case~~ optionally fluorine-[[,]] or chlorine-substituted C₃-C₆-cycloalkyl, ~~represents~~ phenyl, pyridyl, thienyl, pyrimidyl or thiazolyl, each of which is optionally ~~mono—to-trisubstituted-by~~ substituted with one, two or three substituents selected from the group consisting of fluorine, chlorine, bromine, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, cyano [[or]] and nitro,

or represents a group



in which

M² represents -O- or -S(O)_m- and

Re⁶ represents ~~in each case optionally fluorine and/or chlorine substituted~~ C₁-C₈-alkyl, C₂-C₈-alkenyl, C₃-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally substituted by fluorine, chlorine, or combinations thereof, ~~represents~~ phenyl, pyridyl, pyrimidyl or thiazolyl, each of which is optionally ~~mono—to-trisubstituted-by~~ substituted with one, two or three substituents selected from the group consisting of fluorine, chlorine, bromine, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, cyano [[or]] and nitro,

~~L¹ and L³~~


or

L¹ and L³ or L² and L³ together form in each case an optionally fluorine and/or C₁-C₂-alkyl-substituted a five- or six-membered ring optionally substituted with fluorine, C₁-C₂-alkyl, or combinations thereof, wherein said ring optionally contains which may optionally be interrupted by one or two oxygen atoms.

3. (currently amended) ~~Compositions~~ The composition according to Claim 1, comprising one or more compounds of the formula (II) in which

K represents chlorine, bromine [[and]] or iodine,

Re¹, Re² and Re³ each independently of one another represent hydrogen or a group of the formula



in which


M¹ represents C₁-C₈-alkylene, C₃-C₆-alkenylene or C₃-C₆-alkynylene,

Q represents hydrogen, fluorine, chlorine, cyano, trifluoromethyl, C₃-C₆-cycloalkyl or ~~represents~~ a group



in which

- T represents -O- or -S(O)_m-,
- Re⁴ represents hydrogen[[,]] ~~or represents~~ C₁-C₆-alkyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally mono- to trisubstituted by fluorine, ~~and/or chlorine, or combinations thereof,~~
- k represents the numbers 1 to 3,
- m represents the numbers 0 to 2,
- L¹ and L³ independently of one another represent hydrogen, fluorine, chlorine, bromine, iodine, cyano, C₁-C₄-alkyl, C₁-C₂-haloalkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkoxy, ~~represent or~~ phenyl or phenoxy, each of which is optionally ~~mono- or disubstituted by~~ substituted with one or two substituents selected from the group consisting of fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy, cyano ~~[[or]]~~ and nitro,
- L² represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, ~~represents~~ C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, each of which is optionally mono- to tridecasubstituted by fluorine, ~~and/or chlorine, or combinations thereof,~~ or ~~represents~~ a group



in which

M² represents -O- or -S(O)_m-,

and

Re⁶ represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally mono- to tridecasubstituted by fluorine, ~~and/or chlorine, or combinations thereof~~, ~~represents or~~ phenyl or pyridyl, each of which is optionally ~~mono- or disubstituted by~~ substituted with one or two substituents selected from the group consisting of fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, trifluoromethyl, difluoromethoxy, trifluoromethoxy, cyano ~~[[or]]~~ and nitro.

4. (currently amended) ~~Compositions~~ The composition according to Claim 1, comprising one or more compounds of the formula (II) in which

K represents iodine,


Re¹ and Re² represent hydrogen,

Re³ represents a group of the formula



in which

M¹ represents $-\text{CHCH}_3-\text{CH}_2-$, $-\text{C}(\text{CH}_3)_2-\text{CH}_2-$, $-\text{CHC}_2\text{H}_5-\text{CH}_2-$,



Q represents hydrogen, fluorine, chlorine, cyano, trifluoromethyl, C₃-C₆-cycloalkyl or ~~represents~~ a group

T-Re⁴


in which

T represents $-\text{S}-$, $-\text{SO}-$ or $-\text{SO}_2-$,

Re⁴ represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to trisubstituted by fluorine, ~~and/or~~ chlorine, or combinations thereof,

L¹ and L³ independently of one another represent hydrogen, fluorine, chlorine, bromine, iodine, cyano, methyl, ethyl, n-propyl, isopropyl, tert-butyl, methoxy, ethoxy, trifluoromethyl, difluoromethoxy or trifluoromethoxy,

L² represents hydrogen, fluorine, chlorine, bromine, iodine, or cyano, ~~represents~~ methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to nonasubstituted by fluorine, ~~and/or~~ chlorine, or combinations thereof, or ~~represents~~ a group




in which

M^2 represents oxygen or sulphur,

and

R^6 represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to nonasubstituted by fluorine, ~~and/or~~ chlorine, or combinations thereof, ~~represents or~~ phenyl which is optionally substituted with one or two substituents selected from the group consisting of ~~mono- or disubstituted~~ by fluorine, chlorine, bromine, methyl, ethyl, methoxy, trifluoromethyl, difluoromethoxy, trifluoromethoxy, cyano ~~[[or]]~~ and nitro.

5. (currently amended) ~~Compositions~~ The composition according to Claim 1, comprising the compound of the formula (II-1)



wherein J is iodine.

6. (currently amended) ~~Compositions~~ The composition according to Claim 1,
comprising one or more compounds of the formula (I) in which

W represents hydrogen, C₁-C₄-alkyl, C₁-C₄-alkoxy, chlorine, bromine or
fluorine,

X represents C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkyl, fluorine,
chlorine or bromine,

Y and Z independently of one another represent hydrogen, C₁-C₄-alkyl, halogen,
C₁-C₄-alkoxy or C₁-C₄-haloalkyl,

A represents hydrogen or in each case optionally halogen-substituted C₁-C₆-
alkyl or C₃-C₈-cycloalkyl,


B represents hydrogen, methyl or ethyl, or

A[[,]] and B ~~and~~ together with the carbon atom to which they are attached
~~represent form a~~ saturated C₃-C₆-cycloalkyl in which optionally one ring
member is replaced by oxygen or sulphur and which is optionally ~~mono-~~
~~or-disubstituted by~~ substituted with one or two substituents selected from
the group consisting of C₁-C₄-alkyl, trifluoromethyl [[or]] and C₁-C₄-
alkoxy,

D represents hydrogen[[,]] or in each case optionally fluorine- or chlorine-
substituted C₁-C₆-alkyl, C₃-C₄-alkenyl or C₃-C₆-cycloalkyl, or

A and D together represent optionally methyl-substituted C₃-C₄-alkanediyl in which optionally one methylene group is replaced by sulphur,

G represents hydrogen (a) or ~~represents~~ one of the groups



in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R¹ represents in each case optionally halogen-substituted C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₁-C₄-alkylthio-C₁-C₄-alkyl, or optionally fluorine-, chlorine-, C₁-C₄-alkyl- or C₁-C₂-alkoxy-substituted C₃-C₆-cycloalkyl,

~~represents~~ optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl, or

~~represents~~ in each case optionally chlorine- or methyl-substituted pyridyl or thienyl,

R² represents in each case optionally fluorine- or chlorine-substituted C₁-C₁₀-alkyl, C₂-C₁₀-alkenyl, or C₁-C₄-alkoxy-C₂-C₄-alkyl,

~~represents~~ optionally methyl- or methoxy-substituted C₅-C₆-cycloalkyl, or

~~represents~~ in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl or benzyl,

R³ represents optionally fluorine-substituted C₁-C₄-alkyl or ~~represents~~ optionally fluorine-, chlorine-, bromine-, C₁-C₄-alkyl-, C₁-C₄-alkoxy-, trifluoromethyl-, trifluoromethoxy-, cyano- or nitro-substituted phenyl,

R⁴ represents in each case optionally fluorine- or chlorine-substituted C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, or C₁-C₄-alkylthio, or ~~represents~~ in each case optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, C₁-C₄-alkoxy-, trifluoromethoxy-, C₁-C₄-alkylthio-, C₁-C₄-haloalkylthio-, C₁-C₄-alkyl- or trifluoromethyl-substituted phenyl, phenoxy or phenylthio,

R⁵ represents C₁-C₄-alkoxy or C₁-C₄-thioalkyl,

R⁶ represents C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₁-C₆-alkoxy, C₃-C₆-alkenyl,
or C₁-C₄-alkoxy-C₁-C₄-alkyl,

R⁷ represents C₁-C₆-alkyl, C₃-C₆-alkenyl or C₁-C₄-alkoxy-C₁-C₄-alkyl,

R⁶ and R⁷ together represent an optionally methyl- or ethyl-substituted C₃-C₆-alkylene radical in which optionally one carbon atom is replaced by oxygen or sulphur.

7. (currently amended) ~~Compositions~~ The composition according to Claim 1, comprising one or more compounds of the formula (I) in which

W represents hydrogen, methyl, ethyl, chlorine, bromine or methoxy,

X represents chlorine, bromine, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy or trifluoromethyl,

Y and Z independently of one another represent hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, trifluoromethyl or methoxy,

A represents methyl, ethyl, propyl, isopropyl, butyl, isobutyl, sec-butyl, tert-butyl, cyclopropyl, cyclopentyl or cyclohexyl,

B represents hydrogen, methyl or ethyl, or


A[[,]] and B ~~and~~ together with the carbon atom to which they are attached ~~represent~~ form a saturated C₆-cycloalkyl in which optionally one ring

member is replaced by oxygen and which is optionally monosubstituted by methyl, ethyl, methoxy, ethoxy, propoxy or butoxy,

D represents hydrogen, ~~represents~~ methyl, ethyl, propyl, isopropyl, butyl, isobutyl, allyl, cyclopropyl, cyclopentyl or cyclohexyl, or

A and D together represent optionally methyl-substituted C₃-C₄-alkanediyl,

G represents hydrogen (a) or ~~represents~~ one of the groups



in which

M represents oxygen or sulphur,

R¹ represents C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxymethyl, ethoxymethyl, ethylthiomethyl, cyclopropyl, cyclopentyl or cyclohexyl,

~~represents~~ phenyl which is optionally ~~mono— or —disubstituted by~~ substituted with one or two substituents selected from the group consisting of fluorine, chlorine, bromine, cyano, nitro, methyl, ethyl, methoxy, trifluoromethyl [[or]] and trifluoromethoxy, or

~~represents~~ pyridyl or thienyl, each of which is optionally ~~mono— or —disubstituted by~~ substituted with one or two substituents selected from the group consisting of chlorine [[or]] and methyl,

R² represents C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxyethyl, ethoxyethyl, [[or]]

~~represents~~ phenyl or benzyl,

R⁶ and R⁷ independently of one another represent methyl, ethyl or R⁶ and R⁷

together represent a C₅-alkylene radical in which the C₃-methylene group is replaced by oxygen.

8. (currently amended) ~~Compositions~~ The composition according to Claim 1,

comprising one or more compounds of the formula (I) in which

W represents hydrogen or methyl,

X represents chlorine, bromine or methyl,


Y and Z independently of one another represent hydrogen, chlorine, bromine or methyl,

A[[,]] and B ~~and~~ together with the carbon atom to which they are attached

~~represent~~ form a saturated C₆-cycloalkyl in which optionally one ring member is replaced by oxygen and which is optionally monosubstituted by methyl, methoxy, ethoxy, propoxy or butoxy,

D represents hydrogen,

G represents hydrogen (a) or ~~represents~~ one of the groups



in which

M represents oxygen or sulphur,

R¹ represents C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxymethyl, ethoxymethyl, ethylmethylthio, cyclopropyl, cyclopentyl, cyclohexyl, [[or]]


~~represents~~ phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro, or

~~represents~~ pyridyl or thienyl, each of which is optionally monosubstituted by chlorine or methyl,

R² represents C₁-C₈-alkyl, C₂-C₄-alkenyl, methoxyethyl, ethoxyethyl, phenyl or benzyl,



R⁶ and R⁷ independently of one another represent methyl[[,]] or ethyl, or R⁶ and R⁷ together represent a C₅-alkylene radical in which the C₃-methylene group is replaced by oxygen.

9. (currently amended) ~~Compositions~~ The composition according to Claim [[1]] 8, comprising one or more compounds of the formula (I)



~~in which the substituents~~ wherein W, X, Y, Z, R and G are as defined below ~~have~~
~~the radical definitions given~~ in the table


| W | X | Y | Z | R | G |
|-----------------|-----------------|-------------------|-------------------|------------------|--|
| H | Br | 5-CH ₃ | H | OCH ₃ | CO-i-C ₃ H ₇ |
| H | Br | 5-CH ₃ | H | OCH ₃ | CO ₂ -C ₂ H ₅ |
| H | CH ₃ | 5-CH ₃ | H | OCH ₃ | H |
| H | CH ₃ | 5-CH ₃ | H | OCH ₃ | CO ₂ -C ₂ H ₅ |
| CH ₃ | CH ₃ | 3-Br | H | OCH ₃ | H |
| CH ₃ | CH ₃ | 3-Cl | H | OCH ₃ | H |
| H | Br | 4-CH ₃ | 5-CH ₃ | OCH ₃ | CO-i-C ₃ H ₇ |
| H | CH ₃ | 4-Cl | 5-CH ₃ | OCH ₃ | CO ₂ C ₂ H ₅ |

| W | X | Y | Z | R | G |
|-----------------|-----------------|-------------------|-------------------|--------------------------------|---|
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OCH ₃ | CO-N  |
| CH ₃ | CH ₃ | 3-CH ₃ | 4-CH ₃ | OCH ₃ | H |
| H | CH ₃ | 5-CH ₃ | H | OC ₂ H ₅ | CO-N  |
| CH ₃ | CH ₃ | 3-Br | H | OC ₂ H ₅ | CO-i-C ₃ H ₇ |
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OC ₂ H ₅ | CO-n-Pr |
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OC ₂ H ₅ | CO-i-Pr |
| H | CH ₃ | 4-CH ₃ | 5-CH ₃ | OC ₂ H ₅ | CO-c-Pr |


10. (currently amended)

Compositions The composition according to Claim

[[1]] 2, comprising the compound of formula (I)



wherein W is H, X is CH₃, Y is 5-CH₃, Z is H, R is OCH₃, and G is CO₂-C₂H₅ (I-4) and the active compound of the formula (II-1)



wherein J is iodine.

11. (cancelled)

12. (currently amended) ~~Method~~ A method for controlling animal pests, ~~characterized in that mixtures as comprising contacting a composition as defined in Claim 1 are allowed to act on~~ with animal pests ~~and/or or~~ their habitat.

13. (currently amended) ~~Process~~ A process for preparing an insecticidal and acaricidal composition ~~compositions, characterized in that mixtures comprising mixing a composition as defined in Claim 1 are mixed with one or more~~ extenders ~~and/or or~~ surfactants, or combinations thereof.